

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

beaphar[®]

Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY

Revision date : 24.07.2018

Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY (17115)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Biocide

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier :

Beaphar B.V.

Street : Drostenkamp 3

Postal code/city : NL - 8101 BX Raalte

Telephone : +31 (0)572 348 834

Telefax : +31 (0)572 348 835

Information contact : SDS@Beaphar.com

1.4 Emergency telephone number

Beaphar: +31 (0)612 968 231 (08:00 - 17:00 h), Contact: J. van den Eertwegh

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1 ; H400 - Hazardous to the aquatic environment : Acute 1 ; Very toxic to aquatic life.

Aquatic Chronic 1 ; H410 - Hazardous to the aquatic environment : Chronic 1 ; Very toxic to aquatic life with long lasting effects.

Aerosol 1 ; H222 - Aerosols : Category 1 ; Extremely flammable aerosol.

Aerosol 1 ; H229 - Aerosols : Category 1 ; Pressurised container: May burst if heated.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Flame (GHS02) · Environment (GHS09)

Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P391 Collect spillage.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY

Revision date : 24.07.2018

Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

P501 Dispose of contents/container according to the local rules.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains PERMETHRIN (ISO). May produce an allergic reaction.

Additional information

Keep only in well ventilated zones.

Do not use for a usage other one than the one for which the product is intended.

Ventilate after use.

2.3 Other hazards

REACH SVHC < 0.1%

Considering the information communicated by our suppliers, according to article 33 of REACH, the mixture contains, at the date of revision of the MSDS, less than 0.1 % m/m of 'Substances of very high concern' (SVHC) published by the European Agency of Chemicals (ECHA) according to article 57 of the REACH: <https://echa.europa.eu/candidate-list-table>

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY ; EC No. : 265-150-3; CAS No. : 64742-48-9

Weight fraction : $\geq 50 \%$

Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304

PERMETHRIN (ISO) ; EC No. : 258-067-9; CAS No. : 52645-53-1

Weight fraction : $\geq 0,1 - < 1 \%$

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Acute Tox. 4 ; H332 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

S-METHOPRENE ; CAS No. : 65733-16-6

Weight fraction : $< 1 \%$

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 STOT SE 3 ; H335 Aquatic Acute 1 ; H400

PYRETHRUM ; EC No. : 232-319-8; CAS No. : 8003-34-7

Weight fraction : $< 2,5 \%$

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Acute Tox. 4 ; H312 Acute Tox. 4 ; H332 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

Additional information

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Seek medical advice immediately.

Self-protection of the first aider

First aider: Pay attention to self-protection! No special measures are necessary.

Information to physician

No known symptoms to date.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY

Revision date : 24.07.2018

Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam
Extinguishing powder
ABC-powder
Carbon dioxide (CO₂)
Sand
Water spray jet

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

None

5.4 Additional information

Burning produces heavy smoke. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Use personal protection equipment. Wear breathing apparatus if exposed to vapours/dusts/aerosols. See protective measures under point 7 and 8. Provide adequate ventilation.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Avoid dust formation. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

It is recommended to design all work processes always so that the following is excluded:

Inhalation
Skin contact
Eye contact

When using do not eat, drink, smoke, sniff. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective measures

Always close containers tightly after the removal of product. Do not spray on naked flames or any incandescent material.

Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Provide earthing of containers,

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY

Revision date : 24.07.2018

Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

equipment, pumps and ventilation facilities. Use only antistatically equipped (spark-free) tools. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep/Store only in original container. Never use pressure to empty container. Always close containers tightly after the removal of product. Take care when re-opening already used containers. Only allow access to authorised staff.

Requirements for storage rooms and vessels

Ensure adequate ventilation of the storage area.

Hints on joint storage

Storage class : 2B

Storage class (TRGS 510) : 2B

Further information on storage conditions

Only use containers specifically approved for the substance/product. Notice the directions for use on the label. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep container tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Consumer uses: Private households (= general public = consumers) Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

BUTANE ; CAS No. : 106-97-8

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 1000 ppm / 2400 mg/m³

Peak limitation : 4(II)

Version : 17-10-2017

PROPANE ; CAS No. : 74-98-6

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 1000 ppm / 1800 mg/m³

Peak limitation : 4(II)

Version : 17-10-2017

8.2 Exposure controls

Appropriate engineering controls

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Personal protection equipment

Eye/face protection

Suitable eye protection

Eye glasses with side protection

Recommended eye protection articles

DIN EN 166

Skin protection

Hand protection

By short-term hand contact : By short-term hand contact

Suitable gloves type : Disposable gloves.

Suitable material : NBR (Nitrile rubber)

Required properties : liquid-tight.

Breakthrough time (maximum wearing time) : > 30 min

Thickness of the glove material : > 0,1 mm

Recommended glove articles : DIN EN 374

Additional hand protection measures : Use gloves only once.

Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY
Revision date : 24.07.2018
Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

gloves.

Respiratory protection

Usually no personal respiratory protection necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour : Colourless.

Odour : Characteristic.

Safety relevant basis data

Physical state :		Aerosol
Melting point/melting range :		No data available
Initial boiling point and boiling range :	(1013 hPa)	No data available
Decomposition temperature :		No data available
Freezing point :		No data available
Flash point :	<	50 °C
Auto-ignition temperature :		No data available
Flammability (solid, gas) :		No data available
Lower explosion limit :		No data available
Upper explosion limit :		No data available
Explosive properties :		No data available
Vapour Pressure :	(20 °C)	No data available
Evaporation rate (n-butylacetate = 1) :		No data available
Density :	(20 °C) approx.	1 g/cm ³
Water solubility :	(20 °C)	No data available
pH :		No data available
Partition coefficient (n-octanol/water) :		No data available
Viscosity :	(20 °C)	No data available
Odour threshold		No data available
Vapour density (air = 1) :	(101 kPa)	No data available
Oxidising properties :		No data available

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

There are no data available on the preparation/mixture itself.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

There are no data available on the preparation/mixture itself.

10.4 Conditions to avoid

In case of exceeding the storage temperature: Ignition hazard.

10.5 Incompatible materials

There are no data available on the preparation/mixture itself.

10.6 Hazardous decomposition products

There are no data available on the preparation/mixture itself.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

There are no data available on the preparation/mixture itself.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

beaphar[®]

Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY

Revision date : 24.07.2018

Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

Acute effects

Acute oral toxicity

Parameter : LD50 (PERMETHRIN (ISO) ; CAS No. : 52645-53-1)
Exposure route : Oral
Species : Rat
Effective dose : 1470 mg/kg

Parameter : LD50 (PYRETHRUM ; CAS No. : 8003-34-7)
Exposure route : Oral
Species : Rat
Effective dose : 200 mg/kg

Parameter : LD50 (PYRETHRUM ; CAS No. : 8003-34-7)
Exposure route : Oral
Species : Mouse
Effective dose : 370 mg/kg

Acute dermal toxicity

Parameter : LD50 (PERMETHRIN (ISO) ; CAS No. : 52645-53-1)
Exposure route : Dermal
Species : Rabbit
Effective dose : 4000 mg/kg

Acute inhalation toxicity

Parameter : LC50 (BUTANE ; CAS No. : 106-97-8)
Exposure route : Inhalation
Species : Rat
Effective dose : 659 g/m³

Parameter : LC50 (BUTANE ; CAS No. : 106-97-8)
Exposure route : Inhalation
Species : Mouse
Effective dose : 680 g/m³

Sensitisation

In case of inhalation

11.5 Additional information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the preparation/mixture itself.

12.2 Persistence and degradability

There are no data available on the preparation/mixture itself.

12.3 Bioaccumulative potential

There are no data available on the preparation/mixture itself.

12.4 Mobility in soil

There are no data available on the preparation/mixture itself.

12.5 Results of PBT and vPvB assessment

There are no data available on the preparation/mixture itself.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

There are no data available on the preparation/mixture itself.

Additional information

Discharge into the environment must be avoided. The evaluation was carried out according to the calculation method of the preparation directive.

SECTION 13: Disposal considerations

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY
Revision date : 24.07.2018
Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

13.1 Waste treatment methods

Product/Packaging disposal

Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.

Waste treatment options

Appropriate disposal / Product

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

UN 1950

14.2 UN proper shipping name

Land transport (ADR/RID)

AEROSOLS

Sea transport (IMDG)

AEROSOLS (PERMETHRIN (ISO))

Air transport (ICAO-TI / IATA-DGR)

AEROSOLS, FLAMMABLE

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 2
Classification code : 5F
Hazard identification number (Kemler No.) : 23
Tunnel restriction code : D
Special provisions : LQ 11 · E 0
Hazard label(s) : 2.1 / N

Sea transport (IMDG)

Class(es) : 2.1
EmS-No. : F-D / S-U
Special provisions : LQ 11 · E 0
Hazard label(s) : 2.1 / N

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 2.1
Special provisions : E 0
Hazard label(s) : 2.1

14.4 Packing group

14.5 Environmental hazards

Land transport (ADR/RID) : Yes
Sea transport (IMDG) : Yes (P)
Air transport (ICAO-TI / IATA-DGR) : Yes

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY

Revision date : 24.07.2018

Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

Water hazard class (WGK)

Class : 2 (Significant hazardous to water) Classification according to VwVwS

Other regulations, restrictions and prohibition regulations

Betriebssicherheitsverordnung (BetrSichV)

No flammable liquid according to BetrSichV.

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients · 14. UN proper shipping name - Sea transport (IMDG) · 14. Transport hazard class(es) - Land transport (ADR/RID)

16.2 Abbreviations and acronyms

See overview table at www.euphrac.eu.

Short list

ADR : European Agreement Concerning the International Carriage of Dangerous Goods by Road

DNEL : Derived no effect level

EC10 : 10% Effective concentration

EC50 : Median effective concentration

ECHA : European Chemicals Agency

GHS : Globally Harmonised System of Classification and Labelling of Chemicals

IATA - DGR : International Air Transport Association Dangerous Goods Regulations

ICAO-TI : Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG : International Maritime Dangerous Goods Code

LC50 : Median lethal concentration. The concentration causing 50 % lethality

LD50 : Median lethal dose. The dose causing 50 % lethality

NOEC : No observed effect concentration

NOEL : No observed effect level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, bioaccumulative, toxic

PNEC : Predicted no-effect concentration

PPE : Personal protection equipment

REACH : Registration, Evaluation and Authorization of Chemicals

RID : Regulations concerning the International carriage of Dangerous Goods by Rail

SVHC : Substances of very high concern

TWA : Time-weighted average exposure

vPvB : very persistent and very bioaccumulative

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6 Training advice

None

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FLEATEC SPRAY 600ML
HOUSEHOLD FLEA SPRAY
Revision date : 24.07.2018
Print date : 03-01-2019

Version (Revision) : 1.0.3 (1.0.2)

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
